



地址: 浙江省温州市龙湾区滨海一道1869号

电话: 0577-85889997

邮箱: maggie3353@163.com

Address: 1869 Binhai 1st Road, Longwan District, Wenzhou City, Zhejiang Province

Phone: +86-577-85889997

Email: maggie3353@163.com



扫码咨询 WeChat



通用阀门专业制造商

GENERAL VALVE PROFESSIONAL MANUFACTURER



— 专业 · 专一 · 用心 —
PROFESSIONAL, DEDICATED, ATTENTIVE

CORPORATE CULTURE

企业文化

公司宗旨
Corporate Mission

以质为主，诚信经营，精益求精
Prioritize quality, operate with integrity, and strive for excellence

公司价值观
Corporate Values

创新技术，积极进取，行业领先
Innovative technology, proactive and industry-leading

公司经营理念
Business philosophy

品质至上，诚信为本，合作共赢
Quality first, integrity-based, win-win cooperation

公司战略使命
Strategic Mission

自强不息，科技兴企，产业报国
Self improvement, technology driven enterprises, industry serving the country

ABOUT US

关于我们

公司创建于(年)
since (year)

2020

厂房占地面积(平方米)
Factory floor area (m²)

25000+

年产值(万)
annual output value(Ten thousand)

10000+

员工人数(位)
Number of employees (bit)

200+

浙江硕工阀门有限公司坐落于温州经济技术开发区，是一家集设计研发、智能制造、销售服务于一体的阀门制造企业。

企业拥有多台高精尖数控精密加工设备及检验检测设备，主要生产闸阀、截止阀、止回阀、球阀、蝶阀、过滤器、气电动阀阀门及其它流体控制配套等。产品品类100余种，1000多个规格。还可按客户需求定制。

产品主要应用在医疗、化工、石油、天然气、火电、核电、造纸、工业、气体、食品和航天等行业。硕工阀门为拓展市场多渠道多领域，积极进取。已获得国家及国际多项资质荣誉，公司产品服务与质量深受顾客的信赖及好评。追求卓越、顾客至上、开拓创新，是硕工人的一贯作风。

我们也将努力对客户的承诺变为现实！让企业产品价值实现共赢！

Zhejiang Shuogong Valve Co., Ltd. is located in Wenzhou Economic and Technological Development Zone. It is a valve manufacturing enterprise that integrates design and research and development, intelligent manufacturing, and sales services.

The enterprise has multiple high-precision CNC precision machining equipment and inspection and testing equipment, mainly producing gate valves, globe valves, check valves, ball valves, butterfly valves, filters, pneumatic and electric valves, and other fluid control accessories. There are over 100 product categories and more than 1000 specifications. It can also be customized according to customer needs.

The product is mainly used in industries such as medical, chemical, petroleum, natural gas, thermal power, nuclear power, papermaking, industrial, gas, food, and aerospace. Shuo Gong Valve actively strives to expand its market through multiple channels and fields. We have obtained multiple national and international qualifications and honors, and our company's products, services, and quality are highly trusted and praised by customers. Pursuing excellence, putting customers first, and exploring innovation are the consistent style of master's workers.

We will also strive to turn our promises to customers into reality! Realize win-win value for enterprise products!




MANUFACTURING PROCESS

制造流程



**以质量赢得客户
以服务成就品牌**

Win customers with quality
Achieving Brand through Service



APPLICATION FIELD

应用领域

应用行业

公司产品被广泛应用于建筑、食品化工、供水系统、医药、船舶、燃气系统等行业，并可根据用户需求开发新型产品

Application industry
The company's products are widely used in industries such as construction, food and chemical industry, water supply system, medicine, shipbuilding, gas system, etc., and new products can be developed according to user needs



石油行业
Oil industry



化工行业
Chemical industry



电力行业
Power industry



天然气行业
Natural gas industry



冶金行业
Metallurgical Industry



造纸行业
Paper industry



制药行业
Pharmaceutical industry



新能源行业
New energy industry



半导体行业
Semiconductor industry

MARKETING NETWORK

营销网络

硕工阀门重视新兴市场开发和海外产业链的核心竞争价值，紧紧围绕国家“一带一路”战略，加大国际市场的投资和业务布局，进行更好的资源配置。公司以其高质量的产品和良好的售后服务，不断创新，努力进取，与时俱进！我们将坚持走“国际化、科技化、产业化、规模化”发展目标。大力引进先进设备、企业管理与技术服务人才全力打造国内国际性阀门优质品牌。

MSG Valve attaches importance to the core competitive value of emerging market development and overseas industrial chain, closely surrounding the national "the Belt and Road" strategy, increases investment and business layout in the international market, and better allocates resources. The company continuously innovates, strives for progress, and keeps pace with the times with its high-quality products and excellent after-sales service! We will adhere to the development goals of "internationalization, technological advancement, industrialization, and scale". We will vigorously introduce advanced equipment, enterprise management, and technical service talents to create a high-quality domestic and international valve brand.



硕工阀门合作伙伴遍布全球各大国家

Shuo Gong Valve partners are located in major countries around the world

服务行业超50多个
Over 50 service industries

50⁺

服务客户1000多位
Serving over 1000 clients

1000⁺

产品种类多达200多种
There are over 200 types of products available

200⁺

HONORABLE CUSTOMER

尊贵客户

广大忠实的客户，是硕工赖以生存的基石，“诚实守信、开拓、进取”，是硕工企业信奉的经营理念，与客户共同进步，则是我们追求的目标，多年来，本公司始终坚持灵活多样的市场营销策略，积极开展以客户为中心的市场营销策划工作，实施地区销售战略！

Our loyal customers are the cornerstone of Shuo Gong's survival. "Honesty, trustworthiness, exploration, and progress" are the business philosophy that Shuo Gong adheres to. Our goal is to progress together with our customers. Over the years, our company has always adhered to flexible and diverse marketing strategies, actively carried out customer-centric marketing planning work, and implemented regional sales strategies!

合作共赢

Win-win
cooperation



GATE VALVE SERIES

闸阀系列

制造标准Manufacturer's standard: GB, DIN, API, ANSI, JIS, BS等
公称通径Nominal Diameter: 10mm~4000mm及1/2"~160"
工作压力Working pressure:
0.25MPa~76.0MPa/150Lb~4500Lb/10K~320K
工作温度Operation temperature: -196°C~816°C

产品材质Product material:
WCB, A105, LCB, LF2, WC6, F11, WC9, F22, QT450, ZG1Cr5
Mo, F5, ZG20CrMoV, ZG15Cr1Mo1V, 12Cr1MoV, C12A, F91, F
92, CF8, F304, CF8M, F316, CF3, F304L, CF3M, F316L, CF8C
、F347, F304H, F316H, F321H, 4A, F51, 5A, F53, Inconel, Mo
nel, 铜合金(Copper alloy)、钛合金(Titanium alloy)、哈氏合金
(Hastelloy alloy)、镍合金(Nickel alloy)等

适用工况: 石油、化工、天然气、电站、核电、军工、市政、冶金、建
筑、制药、造纸、煤矿、水泥、排污、环保、新能源等行业

Applicable working conditions: petroleum, chemical, natural gas,
power plants, nuclear power, military, municipal, metallurgical,
construction, pharmaceutical, papermaking, coal mining, cement,
pollution discharge, environmental protection, new energy and
other industries

Zhejiang Shuogong
Valve Co., Ltd



国标法兰闸阀
GB gate valve



美标法兰闸阀
API gate valve



日标法兰闸阀
JIS flange gate valve



暗杆法兰闸阀
Concealed stem flange
gate valve



电动美标闸阀
Electric american standard
gate valve



电动法兰闸阀
Electric flange gate valve



高中压法兰闸阀
High and medium pressure
flange gate valve



国标电动闸阀
GB electric gate valve



国标电动闸阀
GB electric gate valve



国标电动对焊闸阀
GB electric butt welding gate valve



国标法兰闸阀
GB flange gate valve



楔式闸阀
Wedge gate valve



俄标闸阀
GOST gate valve



美标闸阀
API gate valve

GLOBE VALVE SERIES

截止阀系列

制造标准Manufacturer's standard: GB, DIN, API, ANSI, JIS, BS等
公称直径Nominal Diameter: 10mm~4000mm及1/2"~160"
工作压力Working pressure:
0.25MPa~76.0MPa/150Lb~4500Lb/10K~320K
工作温度Operation temperature: -196°C~816°C

产品材质Product material:
WCB, A105, LCB, LF2, WC6, F11, WC9, F22, QT450, ZG1Cr5
Mo, F5, ZG20CrMoV, ZG15Cr1Mo1V, 12Cr1MoV, C12A, F91, F
92, CF8, F304, CF8M, F316, CF3, F304L, CF3M, F316L, CF8C
、F347, F304H, F316H, F321H, 4A, F51, 5A, F53, Inconel, Mo
nel, 铜合金(Copper alloy)、钛合金(Titanium alloy)、哈氏合金
(Hastelloy alloy)、镍合金(Nickel alloy)等

适用工况: 石油、化工、天然气、电站、核电、军工、市政、冶金、建
筑、制药、造纸、煤矿、水泥、排污、环保、新能源等行业

Applicable working conditions: petroleum, chemical, natural gas,
power plants, nuclear power, military, municipal, metallurgical,
construction, pharmaceutical, papermaking, coal mining, cement,
pollution discharge, environmental protection, new energy and
other industries

Zhejiang Shuogong
Valve Co., Ltd



氧气截止阀
Oxygen globe valve



国标电动截止阀
GB electric globe valve



抗生素截止阀
Antibiotic globe valve



国标气动截止阀
GB pneumatic globe valve



国标伞齿轮截止阀
GB bevel gear globe valve



国标法兰截止阀
GB flange globe valve



国标法兰截止阀
GB flange globe valve



美标法兰截止阀
API flanged globe valve



美标法兰截止阀
API flanged globe valve

国标电动截止阀
GB electric globe valve



国标气动截止阀
GB pneumatic globe valve



平衡调节阀
Balance control valve

BALL VALVE SERIES

球阀系列

制造标准Manufacturer's standard: GB, DIN, API, ANSI, JIS, BS等
公称直径Nominal Diameter: 10mm~4000mm及1/2"~160"
工作压力Working pressure:
0.25MPa~76.0MPa/150Lb~4500Lb/10K~320K
工作温度Operation temperature: -196°C~816°C

产品材质Product material:
WCB, A105, LCB, LF2, WC6, F11, WC9, F22, QT450, ZG1Cr5
Mo, F5, ZG20CrMoV, ZG15Cr1Mo1V, 12Cr1MoV, C12A, F91, F
92, CF8, F304, CF8M, F316, CF3, F304L, CF3M, F316L, CF8C
、F347, F304H, F316H, F321H, 4A, F51, 5A, F53, Inconel, Mo
nel, 铜合金(Copper alloy)、钛合金(Titanium alloy)、哈氏合金
(Hastelloy alloy)、镍合金(Nickel alloy)等

适用工况: 石油、化工、天然气、电站、核电、军工、市政、冶金、建
筑、制药、造纸、煤矿、水泥、排污、环保、新能源等行业

Applicable working conditions: petroleum, chemical, natural gas,
power plants, nuclear power, military, municipal, metallurgical,
construction, pharmaceutical, papermaking, coal mining, cement,
pollution discharge, environmental protection, new energy and
other industries

Zhejiang Shuogong
Valve Co., Ltd



国标球阀
GB ball valve



对夹式球阀
Wafer ball valve



硬密封法兰球阀
Hard sealing flange
ball valve



固定式法兰球阀
Fixed flange ball valve



气动三片式丝扣球阀
Pneumatic three-piece screw
ball valve



气动法兰球阀
Pneumatic flanged
ball valve



气动V型球阀
Pneumatic V-type
ball valve



气动三通法兰球阀
Pneumatic three-way flanged
ball valve



电动法兰球阀
Electric flanged ball valve



蜗轮固定式法兰球阀
Worm gear fixed flanged
Ball valve



锻钢法兰球阀
Forged steel flanged
Ball valve



电动全焊接球阀
Electric fully welded
Ball valve



国标球阀
GB ball valve



国标球阀
GB ball valve



燃气球阀
Gas ball valve



美标球阀
API ball valve

BUTTERFLY VALVE SERIES

蝶阀系列

制造标准Manufacturer's standard: GB, DIN, API, ANSI, JIS, BS等
公称直径Nominal Diameter: 10mm~4000mm及1/2"~160"
工作压力Working pressure:
0.25MPa~76.0MPa/150Lb~4500Lb/10K~320K
工作温度Operation temperature: -196°C~816°C

产品材质Product material:
WCB, A105, LCB, LF2, WC6, F11, WC9, F22, QT450, ZG1Cr5
Mo, F5, ZG20CrMoV, ZG15Cr1Mo1V, 12Cr1MoV, C12A, F91, F
92, CF8, F304, CF8M, F316, CF3, F304L, CF3M, F316L, CF8C
、F347, F304H, F316H, F321H, 4A, F51, 5A, F53, Inconel, Mo
nel, 铜合金(Copper alloy)、钛合金(Titanium alloy)、哈氏合金
(Hastelloy alloy)、镍合金(Nickel alloy)等

适用工况: 石油、化工、天然气、电站、核电、军工、市政、冶金、建
筑、制药、造纸、煤矿、水泥、排污、环保、新能源等行业

Applicable working conditions: petroleum, chemical, natural gas,
power plants, nuclear power, military, municipal, metallurgical,
construction, pharmaceutical, papermaking, coal mining, cement,
pollution discharge, environmental protection, new energy and
other industries

Zhejiang Shuogong
Valve Co., Ltd



大口径蝶阀
Large diameter butterfly valve



电动法兰蝶阀
Electric flange butterfly valve



对夹凸耳蝶阀
Wafer lug butterfly valve



蜗轮对夹蝶阀
Worm gear wafer butterfly valve



气动对夹蝶阀
Pneumatic wafer butterfly valve



气动法兰蝶阀
Pneumatic Flange Butterfly Valve



蜗轮不锈钢蝶阀
Worm gear stainless steel butterfly valve



气动法兰蝶阀
Pneumatic flange butterfly valve



加长杆蝶阀
Extended stem butterfly valve



蜗轮对焊蝶阀
Worm gear butt welding butterfly valve



电动伸缩蝶阀
Electric telescopic butterfly valve

CHECK VALVE/FILTER/TRAP VALVE SERIES

止回阀/过滤器/疏水阀系列

制造标准Manufacturer's standard: GB, DIN, API, ANSI, JIS, BS等
公称直径Nominal Diameter: 10mm~4000mm及1/2"~160"
工作压力Working pressure:
0.25MPa~76.0MPa/150Lb~4500Lb/10K~320K
工作温度Operation temperature: -196°C~816°C

产品材质Product material:
WCB, A105, LCB, LF2, WC6, F11, WC9, F22, QT450, ZG1Cr5
Mo, F5, ZG20CrMoV, ZG15Cr1Mo1V, 12Cr1MoV, C12A, F91, F
92, CF8, F304, CF8M, F316, CF3, F304L, CF3M, F316L, CF8C
、F347, F304H, F316H, F321H, 4A, F51, 5A, F53, Inconel, Mo
nel, 铜合金(Copper alloy)、钛合金(Titanium alloy)、哈氏合金
(Hastelloy alloy)、镍合金(Nickel alloy)等

适用工况: 石油、化工、天然气、电站、核电、军工、市政、冶金、建
筑、制药、造纸、煤矿、水泥、排污、环保、新能源等行业

Applicable working conditions: petroleum, chemical, natural gas,
power plants, nuclear power, military, municipal, metallurgical,
construction, pharmaceutical, papermaking, coal mining, cement,
pollution discharge, environmental protection, new energy and
other industries



美标止回阀
API check valve



国标止回阀
GB check valve



国标止回阀
GB check valve



国标升降式止回阀
GB lift check valve



立式止回阀
Vertical check valve



对夹止回阀
Wafer check valve



对夹止回阀
Wafer check valve



Y型过滤器
Y-strainer



疏水阀
Trap

LOW TEMPERATURE VALVE SERIES

低温阀门系列

制造标准Manufacturer's standard: GB, DIN, API, ANSI, JIS, BS等
公称直径Nominal Diameter: 10mm~4000mm及1/2"~160"
工作压力Working pressure:
0.25MPa~76.0MPa/150Lb~4500Lb/10K~320K
工作温度Operation temperature: -196°C~816°C

产品材质Product material:
WCB, A105, LCB, LF2, WC6, F11, WC9, F22, QT450, ZG1Cr5
Mo, F5, ZG20CrMoV, ZG15Cr1Mo1V, 12Cr1MoV, C12A, F91, F
92, CF8, F304, CF8M, F316, CF3, F304L, CF3M, F316L, CF8C
、F347, F304H, F316H, F321H, 4A, F51, 5A, F53, Inconel, Mo
nel, 铜合金(Copper alloy)、钛合金(Titanium alloy)、哈氏合金
(Hastelloy alloy)、镍合金(Nickel alloy)等

适用工况: 石油、化工、天然气、电站、核电、军工、市政、冶金、建
筑、制药、造纸、煤矿、水泥、排污、环保、新能源等行业

Applicable working conditions: petroleum, chemical, natural gas,
power plants, nuclear power, military, municipal, metallurgical,
construction, pharmaceutical, papermaking, coal mining, cement,
pollution discharge, environmental protection, new energy and
other industries



美标低温截止阀
API low-temperature
globe valve



国标低温截止阀
GB low-temperature
globe valve



国标低温截止阀
GB low-temperature
globe valve



低温截止阀
Low-temperature
globe valve



低温法兰闸阀
Low temperature flange
gate valve



低温球阀
Cryogenic ball valve

FORGED STEEL VALVE SERIES

锻钢阀门系列

制造标准Manufacturer's standard: GB, DIN, API, ANSI, JIS, BS等
公称口径Nominal Diameter: 10mm~4000mm及1/2"~160"
工作压力Working pressure:
0.25MPa~76.0MPa/150Lb~4500Lb/10K~320K
工作温度Operation temperature: -196°C~816°C

产品材质Product material:
WCB, A105, LCB, LF2, WC6, F11, WC9, F22, QT450, ZG1Cr5
Mo, F5, ZG20CrMoV, ZG15Cr1Mo1V, 12Cr1MoV, C12A, F91, F
92, CF8, F304, CF8M, F316, CF3, F304L, CF3M, F316L, CF8C
、F347, F304H, F316H, F321H, 4A, F51, 5A, F53, Inconel, Mo
nel, 铜合金(Copper alloy)、钛合金(Titanium alloy)、哈氏合金
(Hastelloy alloy)、镍合金(Nickel alloy)等

适用工况: 石油、化工、天然气、电站、核电、军工、市政、冶金、建
筑、制药、造纸、煤矿、水泥、排污、环保、新能源等行业

Applicable working conditions: petroleum, chemical, natural gas,
power plants, nuclear power, military, municipal, metallurgical,
construction, pharmaceutical, papermaking, coal mining, cement,
pollution discharge, environmental protection, new energy and
other industries



FLUORINE LINED VALVE SERIES

衬氟阀门系列

制造标准Manufacturer's standard: GB, DIN, API, ANSI, JIS, BS等
公称口径Nominal Diameter: 10mm~4000mm及1/2"~160"
工作压力Working pressure:
0.25MPa~76.0MPa/150Lb~4500Lb/10K~320K
工作温度Operation temperature: -196°C~816°C

产品材质Product material:
WCB, A105, LCB, LF2, WC6, F11, WC9, F22, QT450, ZG1Cr5
Mo, F5, ZG20CrMoV, ZG15Cr1Mo1V, 12Cr1MoV, C12A, F91, F
92, CF8, F304, CF8M, F316, CF3, F304L, CF3M, F316L, CF8C
、F347, F304H, F316H, F321H, 4A, F51, 5A, F53, Inconel, Mo
nel, 铜合金(Copper alloy)、钛合金(Titanium alloy)、哈氏合金
(Hastelloy alloy)、镍合金(Nickel alloy)等

适用工况: 石油、化工、天然气、电站、核电、军工、市政、冶金、建
筑、制药、造纸、煤矿、水泥、排污、环保、新能源等行业

Applicable working conditions: petroleum, chemical, natural gas,
power plants, nuclear power, military, municipal, metallurgical,
construction, pharmaceutical, papermaking, coal mining, cement,
pollution discharge, environmental protection, new energy and
other industries



			
锻钢截止阀 Forged steel globe valve	锻钢螺纹闸阀 Forged steel thread gate valve	锻钢止回阀 Forged steel check valve	锻钢对焊闸阀 Forged steel butt welded gate valve
			
锻钢低温对焊闸阀 Forged steel low temperature butt welding gate valve	锻钢对焊截止阀 Forged steel butt welded globe valve	锻钢法兰止回阀 Forged steel flanged check valve	锻钢对焊Y型过滤器 Forged steel butt welded y strainer

				
衬氟手动法兰球阀 Fluorine lined manual Flange ball valve	衬氟手动法兰蝶阀 Fluorine-lined manual flange Butterfly valve	衬氟法兰闸阀 Fluorine-lined flange gate valve	衬氟法兰截止阀 Fluorine lined flange globe valve	衬氟止回阀 Fluorine-lined check valve
				
衬氟立式止回阀 Fluorine lined vertical check valve	衬氟隔膜阀 Fluorine-lined diaphragm valve	衬氟过滤器 Fluorine-lined filter	衬氟视镜 Fluorine-lined sight glass	衬氟调节阀 Fluorine lined regulating valve

THREADED VALVE SERIES

丝扣阀门系列

制造标准Manufacturer's standard: GB, DIN, API, ANSI, JIS, BS等
公称直径Nominal Diameter: 10mm~4000mm及1/2"~160"
工作压力Working pressure:
0.25MPa~76.0MPa/150Lb~4500Lb/10K~320K
工作温度Operation temperature: -196°C~816°C

产品材质Product material:
WCB, A105, LCB, LF2, WC6, F11, WC9, F22, QT450, ZG1Cr5
Mo, F5, ZG20CrMoV, ZG15Cr1Mo1V, 12Cr1MoV, C12A, F91, F
92, CF8, F304, CF8M, F316, CF3, F304L, CF3M, F316L, CF8C
、F347, F304H, F316H, F321H, 4A, F51, 5A, F53, Inconel, Mo
nel, 铜合金(Copper alloy)、钛合金(Titanium alloy)、哈氏合金
(Hastelloy alloy)、镍合金(Nickel alloy)等

适用工况: 石油、化工、天然气、电站、核电、军工、市政、冶金、建
筑、制药、造纸、煤矿、水泥、排污、环保、新能源等行业

Applicable working conditions: petroleum, chemical, natural gas,
power plants, nuclear power, military, municipal, metallurgical,
construction, pharmaceutical, papermaking, coal mining, cement,
pollution discharge, environmental protection, new energy and
other industries



		
一片式球阀 1PC ball valve	二片式双外丝球阀 2PC double outer thread ball valve	二片式内外丝球阀 2PC inner and outer ball valve
		
三片式球阀 3PC ball valve	三通球阀 3-way ball valve	二片式快装球阀 2PC quick installation ball valve

				
蝶型内外丝球阀 Butterfly Type Inner And Outer Ball Valve	二片式丝扣球阀 2PC Threaded Ball Valve	三片式对焊球阀 3PC Butt Welded Ball Valve	三片式快装球阀 3PC Quick Installation Ball Valve	三片式加长杆球阀 3PC Extended Stem Ball Valve
				
三片式法兰球阀 3PC Flange Ball Valve	二片式碳钢球阀 2PC Carbon Steel Ball Valve	三片式碳钢球阀 3PC Carbon Steel Ball Valve	三片式高平台球阀 3PC High Platform Ball Valve	二片式高平台球阀 2PC High Platform Ball Valve
				
三片式高平台法兰球阀 3PC High Platform Flange Ball Valve	三通高平台球阀 3-way High Platform Ball Valve	丝扣闸阀 Thread Gate Valve	丝扣截止阀 Screw Thread Globe Valve	国标丝扣截止阀 GB Threaded Globe Valve
				
丝扣止回阀 Thread Check Valve	丝扣立式止回阀 Screw Thread Vertical Check Valve	丝扣Y型过滤器 Thread Y-shaped Filter	丝扣排气阀 Screw Exhaust Valve	丝扣减压阀 Screw Thread Pressure Reducing Valve